

**FLUID SPECIFICATIONS 2010-2015 MY**



**Toyota**



**Scion**

Vehicle Model	Engine Type	Engine Oil (Drain & Refill w/Filter Change)						Coolant <i>Toyota Super Long Life Coolant (SLLC)</i>	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		2010	2011	2012	2013	2014	2015	Standard Capacity				
Avalon	2GR-FE	5W-30 6.4qts (6.1 liters)	5W-30 6.4qts (6.1 liters)	5W-30 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	8.8qts (8.3 liters) SLLC (Thru 2012 MY) 9.7qts (9.2 liters) SLLC (2013- MY)		Toyota Genuine ATF WS*		
Avalon HV	2AR-FXE				0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	Gas Engine: 7.6qts (7.2 liters) SLLC Power Control Unit (Inverter): 3.4qts (3.2 liters) SLLC		Toyota Genuine ATF WS*		
Avanza	3SZ-VE	10W-40 3.2qts (3.0 liters)	10W-40 3.2qts (3.0 liters)	10W-40 3.2qts (3.0 liters)	10W-40 3.2qts (3.0 liters)	5W-30 3.2qts (3.0 liters)	5W-30 3.2qts (3.0 liters)	Manual Trans: 7.3qts (6.95 liters) SLLC (Thru 2011 MY) 7.4qts (7.0 liters) SLLC (2012- MY) Automatic Trans: 7.2qts (6.8 liters) SLLC	2010-2013 API GL-4 SAE 75W-90  2014-2015 API GL-4 SAE 75W-90 or 80W	;	Hypoid API GL-5 SAE 80W-90, 85W-90, or 90	
	K3-VE	10W-40 3.2qts (3.0 liters)	10W-40 3.2qts (3.0 liters)	10W-40 3.2qts (3.0 liters)	10W-40 3.2qts (3.0 liters)	5W-30 3.2qts (3.0 liters)	5W-30 3.2qts (3.0 liters)	Narrow Radiator: 6.3qts (6.0 liters) SLLC Full Wide Radiator: 7.1qts (6.7 liters) SLLC				
Camry	2AR-FE	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.7qts (4.4 liters)	0W-20 4.7qts (4.4 liters)	0W-20 4.7qts (4.4 liters)	0W-20 4.7qts (4.4 liters)	7.5qts (7.1 liters) SLLC (Thru 2011 MY) 7.7qts (7.3 liters) SLLC (2012- MY)	API GL-4 SAE 75W (Thru 2011 MY)	Toyota Genuine ATF WS*		
	2GR-FE	5W-30 6.4qts (6.1 liters)	5W-30 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	9.5qts (9.0 liters) SLLC (Thru 2011 MY) 9.6qts (9.1 liters) SLLC (2012- MY)				
Camry HV	2AZ-FXE	0W-20 5W-20 4.5qts (4.3 liters)	0W-20 5W-20 4.5qts (4.3 liters)					Gas Engine: 6.6qts (6.2 liters) SLLC Power Control Unit (Inverter): 3.1qts (2.9 liters) SLLC		Toyota Genuine ATF WS*		
	2AR-FXE			0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	Gas Engine: 7.6 qts (7.2 liters) SLLC Power Control Unit (Inverter): 3.4 qts (3.2 liters) SLLC		Toyota Genuine ATF WS*		
Corolla	2AZ-FE	0W-20 5W-20 4.0qts (3.8 liters)	0W-20 5W-20 4.0qts (3.8 liters)	0W-20 5W-20 4.0qts (3.8 liters)	0W-20 4.0qts (3.8 liters)			6.0qts (5.7 liters) SLLC	Toyota Genuine API GL-4 75W; or Toyota Genuine LV (2014- MY)	Toyota Genuine ATF WS*  K313 CVT: Toyota Genuine CVT FE (2014- MY)		
	2ZR-FAE					0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	5.8qts (5.5 liters) SLLC				
	2ZR-FE	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	5.8qts (5.5 liters) SLLC				

CAR

<sup>1</sup>Abv 40°F

<sup>2</sup>Blw 40°F

<sup>3</sup>Abv 0°F

<sup>4</sup>Blw 0°F

\*Refer to ATF adjust in the RM

<sup>5</sup>w/twg pkg

<sup>6</sup>w/o twg pkg

<sup>9</sup>Best choice for fuel economy and cold starting

## FLUID SPECIFICATIONS 2010-2015 MY



Toyota



Scion

Vehicle Model	Engine Type	Engine Oil (Drain & Refill w/Filter Change)						Coolant <i>Toyota Super Long Life Coolant (SLLC)</i>	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		2010	2011	2012	2013	2014	2015	Standard Capacity				
Matrix	2AZ-FE	0W-20 5W-20 4.0qts (3.8 liters)	0W-20 5W-20 4.0qts (3.8 liters)	0W-20 5W-20 4.0qts (3.8 liters)	0W-20 5W-20 4.0qts (3.8 liters)	0W-20 4.0qts (3.8 liters)		6.0qts (5.7 liters) SLLC	API GL-4 SAE 75W	Toyota Genuine ATF WS*	API GL-5 SAE 90 (Thru 2013 MY)	Hypoid API GL-5 (Thru 2013 MY)
	2ZR-FE	0W-20 5W-20 4.4qts (4.2 liters)	0W-20 5W-20 4.4qts (4.2 liters)	0W-20 5W-20 4.4qts (4.2 liters)	0W-20 5W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)		5.8qts (5.5 liters) SLLC				
Prius	2ZR-FXE	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	Gas Engine: w/ Exhaust Heat Recirculation System: 7.6qts (7.2 liters) SLLC  w/o Exhaust Heat Recirculation System: 6.8qts (6.5 liters) SLLC  Power Control Unit (Inverter): 2.2qts (2.1 liters) SLLC		Toyota Genuine ATF WS*		
Prius C	1NZ-FXE			0W-20 3.9qts (3.7 liters)	0W-20 3.9qts (3.7 liters)	0W-20 3.9qts (3.7 liters)	0W-20 3.9qts (3.7 liters)	Gas Engine: 5.5qts (5.2 liters) SLLC  Power Control Unit (Inverter): 1.7qts (1.6 liters) SLLC		Toyota Genuine ATF WS*		
Prius PHV	2ZR-FXE	0W-20 4.4qts (4.2 liters)		0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	Gas Engine: 7.6qts (7.2 liters) SLLC  Power Control Unit (Inverter): 3.1qts (2.9 liters) SLLC (Thru 2010 MY) 2.2qts (2.1 liters) SLLC (2012- MY)		Toyota Genuine ATF WS*		
Prius V	2ZR-FXE			0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	Gas Engine: 7.3qts (6.9 liters) SLLC  Power Control Unit (Inverter): 2.9qts (2.7 liters) SLLC		Toyota Genuine ATF WS*		
Venza	1AR-FE	0W-20 <sup>3</sup> 5W-20 4.6qts (4.4 liters)	0W-20 5W-20 4.6qts (4.4 liters)	0W-20 5W-20 4.6qts (4.4 liters)	0W-20 5W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	7.5qts (7.1 liters) SLLC		Toyota Genuine ATF WS*	API GL-5 SAE 90 <sup>3</sup> ; SAE 80W or 80W-90 <sup>4</sup>	Hypoid API GL-5 (Thru 2014 MY)  Toyota Genuine LT 75W-85 GL-5 (2015- MY)
	2GR-FE	w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	w/ & w/o Oil Cooler: 10.4qts (9.8 liters) SLLC  w/ Engine oil cooler: 10.6qts (10 liters) SLLC				
Yaris	1NZ-FE	5W-30 3.9qts (3.7 liters)	5W-30 3.9qts (3.7 liters)	Hatchback & Sedan: 5W-30 3.9qts (3.7 liters)	Hatchback & Sedan: 5W-30 3.9qts (3.7 liters)	Hatchback & Sedan: 5W-30 3.9qts (3.7 liters)	Hatchback & Sedan: 5W-30 3.9qts (3.7 liters)	Thru 2011 MY & Sedan 2012- MY: M/T: 5.1qts (4.8 liters) SLLC A/T: 5.0qts (4.7 liters) SLLC  Hatchback: 5.3qts (5.0 liters) SLLC (2012-2013 MY) M/T: 5.0qts (4.7 liters) SLLC A/T: 4.9qts (4.6 liters) SLLC (2014- MY)	API GL-4 75W (Thru 2011 MY)  Hatchback: Toyota Genuine LV; GL-3 SAE 75W-90; or API GL-4 SAE 75W (2012 - 2013 MY) Toyota Genuine LV; API GL-4 SAE 75W; or API GL-4 SAE 75W-90 (2014- MY)  Sedan: API GL-3 SAE 75W-90 (2012 - 2013 MY) API GL-4 SAE 75W-90 (2014- MY)	Toyota Genuine ATF WS*		

CAR

<sup>1</sup>Abv 40°F<sup>2</sup>Blw 40°F<sup>3</sup>Abv 0°F<sup>4</sup>Blw 0°F

\*Refer to ATF adjust in the RM

<sup>5</sup>w/twg pkg<sup>6</sup>w/o twg pkg<sup>9</sup>Best choice for fuel economy and cold starting

**FLUID SPECIFICATIONS 2010-2015 MY**



**Toyota**



**Scion**

Vehicle Model	Engine Type	Engine Oil (Drain & Refill w/Filter Change)						Coolant <i>Toyota Super Long Life Coolant (SLLC)</i>	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		2010	2011	2012	2013	2014	2015	Standard Capacity				
4Runner	1GR-FE	0W-20 6.6qts (6.2 liters)	0W-20 6.6qts (6.2 liters)	0W-20 6.6qts (6.2 liters)	0W-20 6.6qts (6.2 liters)	0W-20 6.6qts (6.2 liters)	0W-20 6.6qts (6.2 liters)	11.1qts (10.5 liters) SLLC		Toyota Genuine ATF WS*	SAE 75W	Front (Standard & w/ Automatic Disconnecting Differential): Toyota Genuine LT 75W-85 GL-5
	2TR-FE	0W-20 6.1qts (5.8 liters)	0W-20 6.1qts (5.8 liters)					8.6qts (8.1 liters) SLLC				Rear (Standard & w/ Differential Lock): Toyota Genuine LT 75W-85 GL-5
FJ Cruiser	1GR-FE	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)		Automatic Trans: 10.4qts (9.8 liters) SLLC  Manual Trans: 9.9qts (9.4 liters) SLLC	2010-2013 API GL-4 or GL-5 75W-90  2014 API GL-4 75W-90	Toyota Genuine ATF WS*	Toyota Genuine LF SAE 75W	Front (w/ & w/o A.D.D.): LT API GL-5 SAE 75W-85  Rear (w/ & w/o Differential Lock): LT API GL-5 SAE 75W-85
Hiace	2TR-FE	5W-30 10W-30 5.8 qts (5.5 liters)	5W-30 10W-30 5.8 qts (5.5 liters)	5W-30 10W-30 5.8 qts (5.5 liters)	5W-30 10W-30 5.8 qts (5.5 liters)	5W-30 10W-30 5.8 qts (5.5 liters)		w/ front & rear heater: 14.4 qts (13.6 liters) SLLC  w/ front heater: 12.3qts (11.6 liters) SLLC  w/o heater: 11.2 qts (10.6 liters) SLLC	2010-2013 API GL-4 or GL-5 75W-90  2014 API GL-4 75W-90			Hypoid API GL-5: SAE 90 <sup>3</sup> SAE 80W, or 80W-90 <sup>4</sup>
Highlander	1AR-FE	0W-20 <sup>9</sup> 5W-20 4.6qts (4.4 liters)	0W-20 <sup>9</sup> 5W-20 4.6qts (4.4 liters)	0W-20 <sup>9</sup> 5W-20 4.6qts (4.4 liters)	0W-20 <sup>9</sup> 5W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	w/rear A/C: 9.6qts (9.1 liters) <sup>6</sup> SLLC 10.4qts (9.8 liters) <sup>5</sup> SLLC (Thru 2013 MY)  w/o rear A/C: 7.3qts (6.9 liters) <sup>6</sup> SLLC 8.0qts (7.6 liters) <sup>5</sup> SLLC (Thru 2013 MY)  10qts (9.5 liters) SLLC (2014- MY)		Toyota Genuine ATF WS*	API GL-5 SAE 90 (Thru 2013 MY)  Toyota Genuine LT API GL-5 SAE 75W-85 (2014- MY)	Hypoid API GL-5: SAE 90 <sup>3</sup> SAE 80W or 80W-90 <sup>4</sup> (Thru 2013 MY)  Toyota Genuine LT75W-85 GL-5 (2014- MY)
	2GR-FE	5W-20 <sup>5</sup> 5W-30 <sup>5</sup> w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	w/rear A/C: 11.6qts (11.0 liters) <sup>6</sup> SLLC 12.4qts (11.7 liters) <sup>5</sup> SLLC (Thru 2013 MY)  w/o rear A/C: 9.3qts (8.8 liters) <sup>6</sup> SLLC 10.1 qts (9.5 liters) <sup>5</sup> SLLC (Thru 2013 MY)  w/ Engine Oil Cooler: 11.8qts (11.2 liters) SLLC (2014- MY)  w/o Engine Oil Cooler: 11.5qts (10.9 liters) SLLC (2014- MY)				

TRUCK / SUV / VAN

<sup>1</sup>Abv 40°F

<sup>2</sup>Blw 40°F

<sup>3</sup>Abv 0°F

<sup>4</sup>Blw 0°F

\*Refer to ATF adjust in the RM

<sup>5</sup>w/twg pkg

<sup>6</sup>w/o twg pkg

<sup>9</sup>Best choice for fuel economy and cold starting

**FLUID SPECIFICATIONS 2010-2015 MY**



**Toyota**



**Scion**

Vehicle Model	Engine Type	Engine Oil (Drain & Refill w/Filter Change)						Coolant <i>Toyota Super Long Life Coolant (SLLC)</i>	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		2010	2011	2012	2013	2014	2015	Standard Capacity				
Highlander HV	3MZ-FE	0W-20 5W-20 5.0qts (4.7 liters)						Gas Engine: w/rear A/C: 13.5qts (12.8 liters) SLLC  w/o rear A/C: 11.2qts (10.6 liters) SLLC  Power Control Unit (Inverter): 3.6qts (3.4 liters) SLLC		ATF WS*		
	2GR-FXE		0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	Gas Engine: 14.3qts (13.5 liters) SLLC (Thru 2013 MY) 13.5qts (12.8 liters) SLLC (2014- MY)  Power Control Unit (Inverter): 2.4qts (2.3 liters) SLLC (Thru 2013 MY) 2.0qts (1.9 liters) SLLC (2014- MY)				
Hilux	2TR-FE	5W-30 <sup>9</sup> 10W-30 5.9qts (5.6 liters)	5W-30 <sup>9</sup> 10W-30 5.9qts (5.6 liters)	5W-30 <sup>9</sup> 10W-30 5.9qts (5.6 liters)	5W-30 <sup>9</sup> 10W-30 5.9qts (5.6 liters)	5W-30 5.9qts (5.6 liters)	5W-30 5.9qts (5.6 liters)	8.2qts (7.8 liters) SLLC (Thru 2014 MY)	API GL-4 or GL-5 SAE 75W-90 (Thru 2011 MY)  GL-4 SAE 75W-90 (2012- MY)			w/o LSD: Hypoid API GL-5 SAE 90 <sup>3</sup> ; SAE 80W-90 or SAE 80W <sup>4</sup>  w/ LSD: Hypoid LSD API GL-5 SAE 90 <sup>3</sup> ; SAE 80W-90 or SAE 80W <sup>4</sup>
Land Cruiser	3UR-FE	0W-20 <sup>9</sup> 5W-20 Blue Dipstick: 7.4qts (7.0 liters)  Green Dipstick: 7.9qts (7.5 liters)	0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)		0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	17.6qts (16.7 liters) SLLC		Toyota Genuine ATF WS*	GL-5 SAE 75W-90 (Thru 2010 MY)  LF SAE 75W (2011- MY)	Toyota Genuine LT 75W-85 GL-5
RAV4	2AR-FE	0W-20 <sup>9</sup> 5W-20 4.6qts (4.4 liters)	0W-20 <sup>9</sup> 5W-20 4.7qts (4.4 liters)	0W-20 <sup>9</sup> 5W-20 4.7qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	7.2qts (6.8 liters) SLLC		Toyota Genuine ATF WS*	Hypoid SX API GL-5 SAE 85W-90 (Thru 2012 MY)	Hypoid SX API GL-5 SAE 85W-90 (Thru 2012 MY)
	2GR-FE	5W-30 <sup>9</sup> 10W-30 6.4qts (6.1 liters)	5W-30 <sup>9</sup> 6.4qts (6.1 liters)	5W-30 <sup>9</sup> 6.4qts (6.1 liters)				9.4qts. (8.9 liters) <sup>5</sup> SLLC 9.8qts. (9.3 liters) <sup>5</sup> SLLC			Genuine Toyota LT API GL-5 SAE 75W-85 (2013- MY)	Genuine Toyota LT SAE 75W-85 API GL-5 (2013- MY)
RAV4 EV	EV							Use Zerex G48 or Glysantin G 48 (unless specified)  Drive Unit: 6.1qts (5.8liters)  HV (EV) Battery: 8.2qts (7.8 liters)  Heater: Toyota SLLC 1.6 qts (1.5 liters)		Mobil Dexron VI*		

TRUCK / SUV / VAN

<sup>1</sup>Abv 40°F  
<sup>2</sup>Blw 40°F  
<sup>3</sup>Abv 0°F  
<sup>4</sup>Blw 0°F

\*Refer to ATF adjust in the RM  
© 2015 Toyota Motor Sales, USA

<sup>5</sup>w/twg pkg  
<sup>6</sup>w/o twg pkg  
<sup>9</sup>Best choice for fuel economy and cold starting

**FLUID SPECIFICATIONS 2010-2015 MY**



**Toyota**



**Scion**

Vehicle Model	Engine Type	Engine Oil (Drain & Refill w/Filter Change)						Coolant <i>Toyota Super Long Life Coolant (SLLC)</i>	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		2010	2011	2012	2013	2014	2015	Standard Capacity				
Sequoia	1UR-FE	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)				15.6qts (14.8 liters) <sup>5</sup> SLLC 14.5qts (13.7 liters) <sup>6</sup> SLLC (Thru 2011 MY)  15.6qts (14.8 liters) SLLC (2012 MY)				
	3UR-FBE	0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)	0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	15.4qts (14.6 liters) <sup>5</sup> SLLC 14.4qts (13.6 liters) <sup>6</sup> SLLC (Thru 2011 MY)  15.4qts (14.6 liters) <sup>5</sup> SLLC 14.5qts (13.7 liters) <sup>6</sup> SLLC (Thru 2013 MY)  15.4qts (14.6 liters) SLLC (2014- MY)		Toyota Genuine ATF WS*	GL-5 SAE 75W-90	Front & Rear: Toyota Genuine LT 75W-85 GL-5
	3UR-FE	0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)	0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	15.4qts (14.6 liters) <sup>5</sup> SLLC 14.4qts (13.6 liters) <sup>6</sup> SLLC (Thru 2011 MY)  15.4qts (14.6 liters) <sup>5</sup> SLLC 14.5qts (13.7 liters) <sup>6</sup> SLLC (2013- MY)				
Sienna	1AR-FE		0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)			9.2qts (8.7 liters) SLLC			API GL-5 SAE 90 (Thru 2010 MY)	Toyota Genuine LT 75W-85 GL-5
	2GR-FE	5W-30 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	0W-20 w/ & w/o Oil Cooler: 6.4qts (6.1 liters)	12.0qts (11.3 liters) SLLC (Thru 2010 MY)  11.0qts (10.4 liters) <sup>5</sup> SLLC 11.7qts (11.1 liters) <sup>5</sup> SLLC (2011- MY)		Toyota Genuine ATF WS*	Toyota Genuine LT 75W-85 GL-5 (2011- MY)	
Tacoma	1GR-FE	5W-30 <sup>9</sup> 2WD: 4.8qts (4.5 liters)  PRE RUNNER and 4WD: 5.5qts (5.2 liters)	5W-30 2WD: 4.8qts (4.5 liters)  PRE RUNNER and 4WD: 5.5qts (5.2 liters)	5W-30 2WD: 4.8qts (4.5 liters)  PRE RUNNER and 4WD: 5.5qts (5.2 liters)	5W-30 2WD: 4.8qts (4.5 liters)  PRE RUNNER and 4WD: 5.5qts (5.2 liters)	5W-30 2WD: 4.8qts (4.5 liters)  PRE RUNNER and 4WD: 5.5qts (5.2 liters)	5W-30 2WD: 4.8qts (4.5 liters)  PRE RUNNER and 4WD: 5.5qts (5.2 liters)	M/T: 10.3qts (9.7 liters) SLLC  A/T: 10.4qts (9.8 liters) SLLC	API GL-4 or GL-5 75W-90 (Thru 2013 MY)  API GL-4 SAE 75W-90 (2014- MY)	ATF T-IV (4 spd models) ATF WS* (5 spd models)	API GL-4 or GL-5 SAE 75W-90	Toyota Genuine LT APL 75W-85 GL-5
	2TR-FE	0W-20 <sup>9</sup> 5W-20 5.5qts (5.2 liters)	0W-20 <sup>9</sup> 5.5qts (5.2 liters)	0W-20 5.5qts (5.2 liters)	0W-20 5.5qts (5.2 liters)	0W-20 6.1qts (5.8 liters)	0W-20 6.1qts (5.8 liters)	M/T: 9.2qts (8.7 liters) SLLC  A/T: 9.1qts (8.6 liters) SLLC				

TRUCK / SUV / VAN

<sup>1</sup>Abv 40°F

<sup>2</sup>Blw 40°F

<sup>3</sup>Abv 0°F

<sup>4</sup>Blw 0°F

\*Refer to ATF adjust in the RM

<sup>5</sup>w/twg pkg

<sup>6</sup>w/o twg pkg

<sup>9</sup>Best choice for fuel economy and cold starting

## FLUID SPECIFICATIONS 2010-2015 MY



Toyota



Scion

Vehicle Model	Engine Type	Engine Oil (Drain & Refill w/Filter Change)						Coolant <i>Toyota Super Long Life Coolant (SLLC)</i>	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		2010	2011	2012	2013	2014	2015	Standard Capacity				
TRUCK / SUV / VAN  Tundra	1GR-FE	5W-30 <sup>9</sup> 10W-30 5.5qts (5.2 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)	0W-20 6.4qts (6.1 liters)		10.1qts (9.6 liters) SLLC (Thru 2010 MY) 11.3qts (10.7 liters) SLLC (2011- MY)		Toyota Genuine ATF WS*	GL-4 or GL-5 SAE 75W-90 (Thru 2013 MY)  Toyota Genuine LF SAE 75W (2014- MY)	Toyota Genuine LT 75W-85 GL-5
	1UR-FE	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	13.9qts (13.2 liters) <sup>5</sup> SLLC 12.8qts (12.1 liters) <sup>6</sup> SLLC (Thru 2013 MY) 12.8qts (12.1 liters) SLLC (2014- MY)				
	3UR-FBE	0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)	0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	13.7qts (13.0 liters) <sup>5</sup> SLLC 12.8qts (12.1 liters) <sup>6</sup> SLLC				
	3UR-FE	0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)	0W-20 <sup>9</sup> 5W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	0W-20 7.9qts (7.5 liters)	13.7qts (13.0 liters) <sup>5</sup> SLLC 12.8qts (12.1 liters) <sup>6</sup> SLLC				

<sup>1</sup>Abv 40°F<sup>2</sup>Blw 40°F<sup>3</sup>Abv 0°F<sup>4</sup>Blw 0°F

\*Refer to ATF adjust in the RM

<sup>5</sup>w/twg pkg<sup>6</sup>w/o twg pkg<sup>9</sup>Best choice for fuel economy and cold starting

**FLUID SPECIFICATIONS 2010-2015 MY**



**Toyota**



**Scion**

SCION

Vehicle Model	Engine Type	Engine Oil (Drain & Refill w/Filter Change)						Coolant <i>Toyota Super Long Life Coolant (SLLC)</i>	Manual Transmission	Automatic Transmission	Transfer Case	Front and Rear Differential
		2010	2011	2012	2013	2014	2015	Standard Capacity				
Scion FR-S	FA20				0W-20 5.7qts (5.4 liters)	0W-20 5.7qts (5.4 liters)	0W-20 5.7qts (5.4 liters)	SLLC Blue M/T 7.6qts (7.2 liters) A/T 7.9qts (7.5 liters)	API GL-3 75W-90	ATF WS*		LSD: LX 75W-85 GL-5 Except LSD: LT 75W-85 GL-5
Scion tC	2AZ-FE	0W-20 <sup>9</sup> 5W-20 4.0qts (3.8 liters)						SLLC M/T 7.2qts (6.8 liters) A/T 7.1qts (6.7 liters)	API GL-4 75W	ATF WS*		
	2AR-FE		0W-20 4.7qts (4.4 liters)	0W-20 4.7qts (4.4 liters)	0W-20 4.2qts (4.0 liters)	0W-20 4.6qts (4.4 liters)	0W-20 4.6qts (4.4 liters)	SLLC M/T 6.1qts (5.8 liters) A/T 6.0qts (5.7 liters)				
Scion xB	2AZ-FE	0W-20 <sup>9</sup> 5W-20 4.5qts (4.3 liters)	0W-20 <sup>9</sup> 5W-20 4.5qts (4.3 liters)	0W-20 <sup>9</sup> 5W-20 4.5qts (4.3 liters)	0W-20 <sup>9</sup> 5W-20 4.5qts (4.3 liters)	0W-20 4.5qts (4.3 liters)	0W-20 4.5qts (4.3 liters)	SLLC M/T 6.3qts (6.0 liters) A/T 6.2qts (5.9 liters)	API GL-4 75W-90*	ATF WS*		
Scion xD	2ZR-FE	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)	0W-20 4.4qts (4.2 liters)		SLLC M/T 5.3qts (5.0 liters) A/T 5.2qts (7.9 liters)	LV API GL-4 75W*	ATF WS*		
Scion iQ	1NR-FE			0W-20 3.7qts (3.5 liters)	0W-20 3.7qts (3.5 liters)	0W-20 3.7qts (3.5 liters)	0W-20 3.7qts (3.5 liters)	SLLC 5.2qts (4.9 liters)		TOYOTA Genuine CVT Fluid TC		

<sup>1</sup>Abv 40°F

<sup>2</sup>Blw 40°F

<sup>3</sup>Abv 0°F

<sup>4</sup>Blw 0°F

\*Refer to ATF adjust in the RM

<sup>5</sup>w/twg pkg

<sup>6</sup>w/o twg pkg

<sup>9</sup>Best choice for fuel economy and cold starting